



Classic linen shades bring timeless charm and sophistication, effortlessly elevating any light fixture. Lightway's bonded linen lens combines this traditional appeal with modern functionality, featuring the durability and easy maintenance of acrylic—simply clean with a damp cloth to remove dust or dirt.

A wide range of standard finishes, a concealed infrared occupancy sensor, and an integral battery backup are just a few of the customizable options available. Designed with universal 120/277 voltage and backed by a 5-year warranty on LED components, these fixtures are available in a variety of colors and sizes. Proudly made in America, they also pair beautifully with companion flush mount (LCLC) ceiling fixtures.



LCLH-LED

Construction:

- Bottom Diffuser is a White Textured Acrylic
- Side Diffuser is a Translucent Bonded Linen Material with a variety of color options.
- Canopy and housing are steel with a powder coated finish

Light Source:

- LED
- Incandescent socket base

Notes:

- Mounting Kit Included for standard J-box
- Multiple canopy and stem options available.
- Custom overall heights available
- The LCLH has a typical leadtime of 6-weeks, consult with factory for any minimum order quantities and setup fees
- **Build America, Buy America Act Compliant**
- UL and CUL listed **DAMP** location
- LED Array
 - Replaceable Module
 - CRI > 90
 - Dimming (10% or 1%)
 - Universal 120/277 volt standard
 - 5-Year Warranty on LED Components
- For a ceiling flush mounted version see the **LCLC**

Type:	
Job Name:	



DIFFUSER OPTIONS



WHITE LINEN (WLA)



CHOCOLATE TEXTURED



RAPID TEXTURED





BLACK LINEN




SABLE LINEN (SLA)




LCLH-LED




STEM OPTION -1S15



STEM OPTION -1SLM45



STEM OPTION -AIRCRAFT
CABLE WITH CORD-(4AC-xSJ)



STEM OPTION -AIRCRAFT
CABLE WITH CORD-(3AC-xSJ)

	DIM 'A'	DIM 'B'	OAH
LCLH-12	12.25"	4.5"	12"
LCLH-15	15"	4.5"	12"
LCLH-19	19"	5.25"	12"
LCLH-24	24"	8"	15"
LCLH-30	30"	8"	24"
LCLH-36	36"	8"	24"

LED BASED ORDERING INFORMATION

Example: LCLH-15-LED-F1Q-4-W2-CTA-DIM-1SLM45-12OAH

LCLH



Size	LED					Kelvin	Cage	Finish	Diffusers	Options
		Watts	Source Lumens	Dimming	Energy Star					
12-LED	F1L	9	1400	0-10v	YES	1 2700K		See finishes on page 5	WLA White Linen Acrylic	(Suspension Systems) Please list Over All Height 1S15 -Single Stem 15 degree swivel 1SLM45 -Single Stem 45 degree swivel 4AC -(4) Aircraft Cable 3AC -(3) Aircraft Cable DIM LED dimming driver (0 - 10v) DIMLD Line Voltage /TRIAC/ELV/120v ES Energy Star listed components T24 Title 24/JA8 Compliant (F10, F1P & F1Q configuration only)
	F1O	10	863	TRIAC/ELV	YES	2 3000K				
	F1P	15	1361	TRIAC/ELV	YES	3 3500K				
						4 4000K				
						5 5000K				
15-LED	F1K	13	2115	0-10v	YES					
	F1P	15	1361	TRIAC/ELV	YES					
	F1Q	23	2057	TRIAC/ELV	YES					
19-LED	L1A	36	4000	0-10v	NO					
	F1Q	23	2057	TRIAC/ELV	YES					
24-LED	L1A	36	4000	0-10v	NO					
30-LED	O4C	36	4840	0-10v	NO					
36-LED	O8C	72	9680	0-10v	NO					
	O12C	107	14520	0-10v	NO					




28435 Industry Drive., Valencia, California 91355
 800-325-4448 /661-257-0286 • fax 800-323-2346 /661-257-0201
 www.lightwayind.com • sales@lightwayind.com




LCLH-E26




STEM OPTION -1515



STEM OPTION -15LM45



STEM OPTION -AIRCRAFT
CABLE WITH CORD-(4AC-xSJ)



STEM OPTION -AIRCRAFT
CABLE WITH CORD-(3AC-xSJ)

	DIM 'A'	DIM 'B'	OAH
LCLH-12	12.25"	4.5"	12"
LCLH-15	15"	4.5"	12"
LCLH-19	19"	5.25"	12"
LCLH-24	24"	8"	15"
LCLH-30	30"	8"	24"
LCLH-36	36"	8"	24"

INCANDESCENT BASED ORDERING INFORMATION

Example: LCLH-24-4E26-NL-W2-CTA-1SLM45-15"OAH

LCLH

Size	LED					Kelvin	Cage	Finish	Diffusers	Options
		Watts	Source Lumens	Dimming	Energy Star					
12	2E26			TRIAC/ELV			See finishes on page 5	WLA White Linen Acrylic CTA Chocolate Textured Acrylic Optional Trim Options (Consult Factory) SLA Sable Linen Acrylic RTA Rapid Textured Acrylic BLA Black Linen Acrylic	(Suspension Systems) Please list Over All Height 1515 -Single Stem 15 degree swivel 15LM45 -Single Stem 45 degree swivel 4AC -(4) Aircraft Cable 3AC -(3) Aircraft Cable	
15	2E26			TRIAC/ELV	NL Lamps provided by others					
19	3E26			TRIAC/ELV						
24	4E25			TRIAC/ELV						
30	4E26			TRIAC/ELV						
	36	6E26			TRIAC/ELV					
		8E26			TRIAC/ELV					




28435 Industry Drive., Valencia, California 91355
 800-325-4448 /661-257-0286 • fax 800-323-2346 /661-257-0201
 www.lightwayind.com • sales@lightwayind.com




FINISHES


Standard Finishes



W1 Yolk



W2 Gloss White



W3 Textured White



W13 Pearl Beige



B1 Satin Black




B2 Textured Black




Z3 Textured Bronze




Z1 Satin Bronze



M13 Anodized Silver




T4 Shimmer Gray




T6 Pewter



T1 Silver Gray




T5 Textured Silver



M17 Brass Powder

Premium Finishes - Contact Factory For Pricing



U12 Parkers Blue



U13 Cornflower Blue



A15 Medium Gray



G13 Sage Green



W18 Sand Fossil



R4 Deep Red



M20 Tuscan Sun



D12 Butterscotch

DISCLAIMER:

Colors displayed on your screen may vary slightly from the actual product color due to differences in monitor calibration and lighting conditions. Sample chips are available upon request. **Not all finishes are available with all fixtures. Please consult factory for premium finishes.**



28435 Industry Drive., Valencia, California 91355
800-325-4448 / 661-257-0286 • fax 800-323-2346 / 661-257-0201
www.lightwayind.com • sales@lightwayind.com

