



## Where timeless craftsmanship meets modern design.

The traditional ceiling fixture is reimagined with a sophisticated wood trim band, blending natural warmth with contemporary elegance. By incorporating wood into interior applications, this fixture does more than illuminate—it transforms the atmosphere. Wood introduces durability, texture, and a timeless aesthetic, while also enhancing comfort, well-being, and productivity. It's not merely decorative; it's a design element that connects people to nature, enriches mood, and adds character to any space.

Choose from a curated selection of faux wood finishes—Bamboo, Maple, Teak, or Walnut—each offering its own unique grain and tone to complement a wide range of interiors.

Bands available with opaque or semi-translucent bands, allowing you to tailor the glow to your desired ambiance whether soft and diffused or crisp and defined.

Adding wood trim to lighting fixtures introduces warmth, depth, and a sense of craftsmanship. It elevates interiors by balancing functionality with artistry, making the pendant not just a source of light but a focal point of design.



## Construction:

- The fixture features a faux-wood side diffuser, offered with either non-translucent or semi-translucent lens options, surrounding a traditional white smooth acrylic lens to accommodate a wide range of aesthetic and functional design goals.
- Standard light distribution is calibrated to deliver 10% uplight and 90% downlight. For customized distribution configurations, please contact the factory.
- The bottom diffuser is crafted from white textured acrylic.
- The housing is built from durable steel and finished with a sleek, powder-coated surface for enhanced protection and visual appeal.

## Light Source:

- LED
- Incandescent socket base

## Notes:

- Mounting Kit Included for standard J-box
- Finish options applies only with optional battery backup extension ring or Center Finial
- **Build America, Buy America Act Compliant**
  - Replaceable Module
  - CRI > 90
  - Dimming (10% or 1%)
  - Universal 120/277 volt standard
  - 5-Year Warranty on LED Components
- For a pendant mounted version see the **LDWH**

Type:	
Job Name:	




For Pedant mount fixture, please see the LDWH

## DIFFUSER OPTIONS







	DIM 'A'	DIM 'B'
LCLC-12	12.25"	4.5"
LCLC-15	15"	4.5"
LCLC-19	19"	5.25"
LCLC-24	24"	8"
LCLC-30	30"	8"
LCLC-36	36"	8"



Shown with optional battery back,  
adds 1 3/4" to fixture height


## LED BASED ORDERING INFORMATION

Example: LCLC-15-LED-F1P-4-DV3-DIM

LCLC

Size	LED	Watts	Source Lumens	Dimming	Energy Star	Kelvin	Finish	Side Diffusers	Options
						1 2700K 2 3000K 3 3500K 4 4000K 5 5000K	(See Notes) <i>Only Applies with BB10 option</i>  <b>Finish Options on page 5</b>		
<b>12-LED</b>	<b>F1L</b>	9	1400	0-10v	YES			<b>Maple</b> <b>DV1</b> Opaque Maple <b>DT1</b> Semi-Translucent Maple	<b>DIM</b> LED dimming driver (0 - 10v) <b>DIMLD</b> Line Voltage /TRIAC/ELV/120v See Resource Page  <b>ES</b> Energy Star listed components <b>T24</b> Title 24/JA8 Compliant (F10, F1P & F1Q configuration only)  <b>CF - Center Finial</b>  <b>OCCHFA</b> Concealed Occupancy Sensor See Sensor Resource Sheet  <b>Battery Backup Options</b> (Requires 1 3/4" extension ring) Note available in LCVC-12 <b>BB10</b> 10 Watts (1170lm) for 90-Minutes
	<b>F1O</b>	10	863	TRIAC/ELV	YES			<b>Bamboo</b> <b>DV2</b> Opaque Bamboo <b>DT2</b> Semi-Translucent Bamboo	
	<b>F1P</b>	15	1361	TRIAC/ELV	YES			<b>Teak</b> <b>DV3</b> Opaque Teak <b>DT3</b> Semi-Translucent Teak <b>Walnut</b> <b>DV4</b> Opaque Walnut <b>DT4</b> Semi-Translucent Walnut	
<b>15-LED</b>	<b>F1K</b>	13	2115	0-10v	YES				
	<b>F1P</b>	15	1361	TRIAC/ELV	YES				
	<b>F1Q</b>	23	2057	TRIAC/ELV	YES				
<b>19-LED</b>	<b>L1A</b>	36	4000	0-10v	NO				
	<b>F1Q</b>	23	2057	TRIAC/ELV	YES				
<b>24-LED</b>	<b>L1A</b>	36	4000	0-10v	NO				
<b>30-LED</b>	<b>O4C</b>	36	4840	0-10v	NO				
<b>36-LED</b>	<b>O8C</b>	72	9680	0-10v	NO				
	<b>O12C</b>	107	14520	0-10v	NO				





	DIM 'A'	DIM 'B'
LCLC-12	12.25"	4.5"
LCLC-15	15"	4.5"
LCLC-19	19"	5.25"
LCLC-24	24"	8"
LCLC-30	30"	8"
LCLC-36	36"	8"

INCANDESCENT BASED ORDERING INFORMATION

Example: LCLC-36-8E26-NL-DV3

LCLC


NL

Size	Socket					Kelvin	Finish		Side Diffusers	Options
		Watts	Source Lumens	Dimming	Energy Star	NL Lamps provided by others	Not an option		Maple	CF - Center Finial
12	2E26			TRIAC/ELV					DV1 Opaque Maple	
									DT1 Semi-Translucent Maple	
15	2E26			TRIAC/ELV					Bamboo	
									DV2 Opaque Bamboo	
19	3E26			TRIAC/ELV					DT2 Semi-Translucent Bamboo	
									Teak	
24	4E26			TRIAC/ELV					DV3 Opaque Teak	
									DT3 Semi-Translucent Teak	
30	8E26			TRIAC/ELV					Walnut	
									DV4 Opaque Walnut	
36									DT4 Semi-Translucent Walnut	




# FINISHES

## Standard Finishes



W1 Yolk



W2 Gloss White



W3 Textured White



W13 Pearl Beige



B1 Satin Black



B2 Textured Black



Z3 Textured Bronze




Z1 Satin Bronze



M13 Anodized Silver



T4 Shimmer Gray




T6 Pewter



T1 Silver Gray




T5 Textured Silver



M17 Brass Powder

## Premium Finishes - Contact Factory For Pricing



U12 Parkers Blue



U13 Cornflower Blue



A15 Medium Gray



G13 Sage Green



W18 Sand Fossil



R4 Deep Red



M20 Tuscan Sun



D12 Butterscotch

### DISCLAIMER:

Colors displayed on your screen may vary slightly from the actual product color due to differences in monitor calibration and lighting conditions. Sample chips are available upon request. **Not all finishes are available with all fixtures. Please consult factory for premium finishes.**



28435 Industry Drive., Valencia, California 91355  
800-325-4448 / 661-257-0286 • fax 800-323-2346 / 661-257-0201  
www.lightwayind.com • sales@lightwayind.com

