
LCLH-PATTERNS



Lobby of Children's Learning Academy / Diffuser P1004

Patterns, colors, and imagery are powerful tools for shaping ambiance and conveying identity. When thoughtfully integrated into lighting, they do more than illuminate—they enrich the environment with warmth, character, and purpose.

Lightway offers a versatile collection of pendant and flush-mounted ceiling fixtures, customizable with virtually unlimited design options. Whether it's patterns, branded imagery, or messaging, if you can envision it, Lightway can bring it to life—seamlessly blending your aesthetic vision into the lighting design.

Fixtures are available with **semi-translucent or opaque side diffusers**, allowing for tailored visual impact and light distribution. This flexibility ensures compatibility with a wide range of architectural styles and functional needs.

Proudly made in America, Lightway fixtures meet **Build America, Buy America (BABA)** standards—delivering exceptional craftsmanship, reliable performance, and full customization to suit your project requirements.





LCLH-PATTERNS

Construction:

- Choose a UV-stabilized, laminated side diffuser in a wide array of standard patterns or design your own pattern, message or company logo. Available with non-translucent or semi-translucent side lens options, this diffuser is expertly crafted to complement a range of aesthetic and functional design goals.
- The fixture delivers a balanced light distribution, with 60% directed upward and 40% downward, ensuring controlled illumination. Side light transmission is minimal to none, based on the chosen diffuser. For tailored distribution options, please contact the factory.
- The bottom diffuser features a white textured acrylic, providing a refined balance of soft diffusion and visual depth while maintaining an elegant, functional aesthetic. Let me know if you'd like alternative material options or adjustments to the description.
- The canopy and housing are expertly crafted from durable steel, enhanced with a sleek powder-coated finish for superior protection and modern appeal.
 The design is complemented by a high-quality acrylic lens, ensuring both functionality and refined aesthetics.

Light Source:

- LED
- Incandescent socket base

Notes:

- Mounting Kit Included for standard J-box
- Multiple canopy and stem options available.
- Custom overall heights available
- Build America, Buy America Act Compliant
- UL and CUL listed **DAMP** location
- LED Array
 - Replaceable Module
 - CRI > 90
 - Dimming (10% or 1%)
 - Universal 120/277 volt standard
 - 5-Year Warranty on LED Components

Туре:	
Job Name:	



Shown with side diffuser P115
















Available in flush-mount version, please see LCLC-Patterns







LCLH-LED






DIM 'A'	DIM 'B'	ОАН	
12.25"	4.5"	12"	
15"	4.5"	12"	
19"	5.25"	12"	
24"	8"	15"	
30"	8"	24"	
36"	8"	24"	









LED BASED ORDERING INFORMATION

Example: LCLH-15-LED-F1K-4-W2-CV-P1004-1SLM45-12"OAH-DIM


LCLH

Size	LED					Kelvin	Finish	Side Diffusers	Options
		Watts	Source Lumens	Dimming	Energy Star	1 2700K 2 3000K	See Finish Options Page 5	Diffuser Options on Page 6	(Suspension Systems) Please list Over All Height
12-LED	F1H	9	1400	0-10v	YES	3 3500K		(CV##) Opaque/Solid	1S15 -Single Stem 15 degree swivel
	F10	10	863	TRIAC/ELV	YES	4 4000K 5 5000K		(Part numnber example: CV-P1004) CV = Opaque/Solid side diffuser	1SLM45 -Single Stem 45 degree swivel 4AC -(4) Aircraft Cable
	F1P	15	1361	TRIAC/ELV	YES				3AC -(3) Aircraft Cable
15-LED	F1K	13	2115	0-10v	YES				DIM LED dimming driver (0 - 10v)
	F1P	15	1361	TRIAC/ELV	YES			(CT)## Semi-Translucent	DIMLD Line Voltage /TRIAC/ELV/120v ES Energy Star listed components
	F1Q	23	2057	TRIAC/ELV	YES			(Part numnber example: CT-P1004) CT = Semi-Tranlucent side diffuser	T24 Title 24/JA8 Compliant
19-LED	L1A	36	4000	0-10v	NO			Cr — Schii Hamacene siae ainaser	(F10, F1P & F1Q configuration only)
	F1Q	23	2057	TRIAC/ELV	YES				OCCHFA Concealed Occupancy Sensor
24-LED	L1A	36	4000	0-10v	NO				See Sensor Resource Sheet
30-LED	O4C	36	4840	0-10v	NO				Battery Backup Options
36-LED	O8C	72	9680	0-10v	NO				(Available with 0-10v only)
	O12C	107	14520	0-10v	NO				Note available in LCLC-12
	O12C	107	14520	0-10v	NO				BB10 10 Watts (1170lm) for 90-Minutes






LCLH-E26




LCLH-12 LCLH-15 LCLH-19 LCLH-24 LCLH-30

LCLH-36

DIM'A'	DIM'B'	OAH
12.25"	4.5"	12"
15"	4.5"	12"
19"	5.25"	12"
24"	8"	15"
30"	8"	24"
36"	8"	24"







STEM OPTION -AIRCRAFT

CABLE WITH CORD-(3AC-xSJ)

INCANDESCENT BASED ORDERING INFORMATION

Example: LCLH-36-8E26-NL-W2-CV-P1004-1SLM45-24"OAH

LCLH

NL

Size	Socket					Kelvin	Finish	Side Diffusers	Options
		Watts	Source Lumens	Dimming	Energy Star	NL Lamps	See Finish Options Page 5	Diffuser Options on Page 6	(Suspension Systems) Please list Over All Height
12	2E26			TRIAC/ELV		provided		(CV##) Opaque/Solid	1S15 -Single Stem 15 degree swivel
						by others		(Part numnber example: CV -P1004) CV = Opaque/Solid side diffuser	1SLM45 -Single Stem 45 degree swivel
15	2E26			TRIAC/ELV				Cv — Opaque/sona siae annasei	4AC -(4) Aircraft Cable 3AC -(3) Aircraft Cable
19	3E26			TRIAC/ELV				(CT)## Semi-Translucent (Part numnber example: CT-P1004)	CF - Center Finial
24	4E26			TRIAC/ELV				CT = Semi-Tranlucent side diffuser	
30	8E26			TRIAC/ELV					
36									





FINISHES

Standard Finishes



Premium Finishes - Contact Factory For Pricing




DISCLAIMER:

Colors displayed on your screen may vary slightly from the actual product color due to differences in monitor calibration and lighting conditions. Sample chips are available upon request. **Not all finishes are available with all fixtures. Please consult factory for premium finishes.**





DIFFUSER PATTERNS



DISCLAIMER:

COLORS DISPLAYED ON YOUR SCREEN MAY VARY SLIGHTLY FROM THE ACTUAL PRODUCT COLOR DUE TO DIFFERENCES IN MONITOR CALIBRATION AND LIGHTING CONDITIONS.

SAMPLE CHIPS ARE AVAILABLE UPON REQUEST. NOT ALL FINISHES ARE AVAILABLE WITH ALL FIXTURES. PLEASE CONSULT FACTORY FOR PREMIUM FINISHES.





DIFFUSER PATTERNS



DISCLAIMER:


COLORS DISPLAYED ON YOUR SCREEN MAY VARY SLIGHTLY FROM THE ACTUAL PRODUCT COLOR DUE TO DIFFERENCES IN MONITOR CALIBRATION AND LIGHTING CONDITIONS.

SAMPLE CHIPS ARE AVAILABLE UPON REQUEST. NOT ALL FINISHES ARE AVAILABLE WITH ALL FIXTURES. PLEASE CONSULT FACTORY FOR PREMIUM FINISHES.





DIFFUSER PATTERNS



DISCLAIMER:

COLORS DISPLAYED ON YOUR SCREEN MAY VARY SLIGHTLY FROM THE ACTUAL PRODUCT COLOR DUE TO DIFFERENCES IN MONITOR CALIBRATION AND LIGHTING CONDITIONS.

SAMPLE CHIPS ARE AVAILABLE UPON REQUEST. NOT ALL FINISHES ARE AVAILABLE WITH ALL FIXTURES. PLEASE CONSULT FACTORY FOR PREMIUM FINISHES.



