


MONH + MOAH

A welcoming light. A lasting impression.

A classic bowl silhouette, handspun steel detailing and flexible configurations for spaces where people gather.



HOSPITALITY / BREAKFAST LOUNGE

24 / 36 / 43	>90 CRI	2700-5000K
INCH DIAMETERS	LED COLOR RENDERING	LED CCT OPTIONS

Application imagery throughout illustrates design concepts.

ONE FAMILY. TWO EXPRESSIONS.

Choose the suspension character.



MONH

Shown: 3TB. Three stems meet a single upper rod, creating an open, triangulated silhouette above the bowl.



MOAH

Shown: single stem. A clean vertical suspension gives the bowl a simple, direct connection to the canopy.

Both series offer multiple suspension choices; the images above show specific configurations, not exclusive mounting types.

CONFIRMED LED DIMENSIONS

Series / diameter	Elliptical depth	Deep bowl depth	Overall height
MONH / 24 in	7 in	10 in	24 in
MONH / 36 in	10 in	14 in	36 in
MONH / 43 in	11 in	16 in	36 in
MOAH / 24 in	8 in	11 in	24 in
MOAH / 36 in	11 in	15 in	36 in
MOAH / 43 in	12 in	17 in	36 in

Dimensions follow the LED ordering tables. Custom overall heights are available. MOAH-36 deep bowl is 15 in in the LED table; the E26 table differs, so confirm E26 dimensions with Lightway.

HOSPITALITY / DINING / WORSHIP

Light that brings people together.



HOSPITALITY / LOUNGE



RESTAURANT / WARMTH AT THE TABLE



CHURCH / ARCHITECTURAL RHYTHM



HOSPITALITY / BANQUET HALL



HOSPITALITY / COFFERED LOBBY


Softly diffused bowl light complements intimate seating, generous rooms and expressive ceilings. Application concepts shown.

RETAIL / TRANSIT / CIVIC / CINEMA

A familiar form. A broad canvas.



RETAIL / APPAREL



TRANSIT / SUBWAY



CIVIC / CITY HALL LOBBY



CIVIC / COMMISSION CHAMBERS



CINEMA / CONCESSIONS



CINEMA / ARRIVAL

Application concepts illustrate visual possibilities. They do not identify completed installations, endorsements or project-specific approvals.

MAKE IT YOUR OWN

Shape the material palette.



SUPPLIED FINISH PALETTE

Printed colors are illustrative. Confirm finish codes, availability and any added cost with Lightway; the supplied chart and ordering sheets use different finish selections.



SINGLE-STEM STYLING REFERENCE

BOWLS & CONSTRUCTION

Steel housing and chassis with a handspun steel ring. Elliptical White Smooth Acrylic (WSA) is standard. Optional diffuser selections: Amber Honey (AHA), Beige Alabaster (BAA) and Opal Alabaster (OAA); deep bowl (DB) configurations are available.

MOUNTING & CONTROL OPTIONS

Single stem, swivel, aircraft cable and four-stem choices; MONH also lists 3TB. Specify overall height. Optional concealed occupancy sensor (OCCHFA) and BB10 battery backup: 10W / 1,170 lm for 90 minutes, with 0-10V only.

BABA COMPLIANT

Both source sheets state Build America, Buy America Act compliance.

5-YEAR LED WARRANTY

Warranty applies to LED components, as stated in the source sheets.

CONFIGURATION CHOICES

Custom mounting heights and multiple canopy / stem options are listed.

SPECIFY WITH CONFIDENCE

Classic form.
Flexible LED performance.

Replaceable LED module. CRI >90. Universal 120/277V standard. UL and CUL listed for damp locations.



SINGLE-STEM STYLING REFERENCE

LED SELECTIONS / SAME MATRIX FOR BOTH SERIES

Diameter	LED code	Power	Source lumens	Dimming
24 in	L1A	36 W	4,000	0-10V
24 in	O6C	54 W	7,260	0-10V
24 in	O8C	72 W	9,680	0-10V
24 in	O9C	80 W	10,890	0-10V
36 in	L1A	36 W	4,000	0-10V
36 in	O6C	54 W	7,260	0-10V
36 in	O8C	72 W	9,680	0-10V
36 in	O12C	107 W	14,520	0-10V
36 in	O18C	160 W	21,780	0-10V
43 in	O9C	80 W	10,890	0-10V
43 in	O12C	107 W	14,520	0-10V
43 in	O20C	178 W	24,200	0-10V

Lumens are source values from the specification sheets, not delivered luminaire output. All listed LED configurations are marked Energy Star: No. CCT choices: 2700K, 3000K, 3500K, 4000K and 5000K.

BUILD YOUR CONFIGURATION

Series + diameter + LED package + CCT + finish + diffuser + bowl + suspension + overall height. E26 socket-base versions are also listed; lamps are supplied by others. Confirm the final order with Lightway.

LIGHTWAY INDUSTRIES

800-325-4448 / 661-257-0286

sales@lightwayind.com | www.lightwayind.com

28435 Industry Drive
Valencia, California 91355

Sources: MONH, rev. 02/20/2026; MOAH, rev. 06/11/2025. LED tables govern the data shown.