

MONH Series



The pendant bowl light fixture effortlessly combines functionality and sophistication, delivering soft, evenly distributed light to create a welcoming ambiance.

Lightway MONH presents versatile designs with options such as Elliptical White Smooth Acrylic bowls or selections in Amber Honey, Beige, or Opal Alabaster, all encased in a finely crafted hand-spun steel ring. Available in 24-inch, 36-inch, and 43-inch diameters, these fixtures offer diverse stem styles, mounting heights, and advanced features like a concealed infrared occupancy sensor and integral battery backup.



28435 Industry Drive., Valencia, California 91355
800-325-4448 / 661-257-0286 • fax 800-323-2346 / 661-257-0201
www.lightwayind.com • sales@lightwayind.com



Revision: 04/03/2026

Construction:

- Steel housing and chassis
- Elliptical white smooth acrylic bowl is standard
- Optional alabaster bowl available in elliptical or deep


Light Source:

- LED
- Incandescent socket base

Notes:

- Canopy mounts to J-Box with integral safety cable
- Custom mounting heights available
- Multiple canopy and stem options available.
- Custom overall heights available
- Single stem (1S45) suspension with 45-degree swivel
- **Build America, Buy America Act Compliant**
- UL and CUL listed **DAMP** location
- LED Array
 - Replaceable Module
 - CRI > 90
 - Universal 120/277 volt standard
 - 5-Year Warranty on LED Components


Type:	
Job Name:	



Shown with DB Deep Bowl



DIFFUSER OPTIONS



White Smooth
Acrylic (WSA)



Amber Honey
Acrylic (AHA)



Beige Alabaste
Acrylic (BAA)




Opal Alabaste
Acrylic (OAA)




MONH-LED




Shown with EL Elliptical Bowl




STEM OPTION -1S15



STEM OPTION -1SLM45



STEM OPTION -Aircraft Cable with Cord-(4AC-xSJ)



STEM OPTION -Aircraft Cable with Cord-(3AC-xSJ)

	Height EL Bowl	Height Deep Bowl	Width	Over All Height
MONH-24	7"	10"	24"	24"
MONH-36	10"	14"	36"	36"
MONH-43	11"	16"	43"	36"

MONH-24
MONH-36
MONH-43

ORDERING INFORMATION

Example: MONH-36-LED-O12C-4-Z1-WSA-EL-3TB-36"OAH

MONH

Size	LED	Watts	Source Lumens	Dimming	Energy Star	Kelvin	Cage	Finish	Diffuser	Options		
24-LED	L1A	36	4000	0-10v	NO	1 2700K 2 3000K 3 3500K 4 4000K 5 5000K		B1 Satin Black	WSA White Smooth Acrylic	(Suspension Systems) Please list Over All Height		
	O6C	54	7260	0-10v	NO			B2 Text Black			Optional Lens Material (see Price List)	
	O8C	72	9680	0-10v	NO			Z1 Satin Bronze				1S45 - Single Stem (Standard)
	O9C	80	10890	0-10v	NO			Z3 Text Bronze				1SLM45 - Single Stem 45 degree swivel
36-LED	L1A	36	4000	0-10v	NO			W1 Yolk White	AHA Amber Honey Alabaster BAA Beige Alabaster OAA Opal Alabaster	1SAC - Single Stem with Aircraft Cable		
	O6C	54	7260	0-10v	NO			W2 Gloss White		4S - Four stem		
	O8C	72	9680	0-10v	NO			T4 Shimmer Gray		3TB - Three stem with single rod As shown		
	O12C	107	14520	0-10v	NO			M13 Anod Silver		AC-STEM - Extends over all height		
	O18C	160	21780	0-10v	NO			T6 Pewter		DIM LED dimming driver (0 - 10v)		
43-LED	O9C	80	10890	0-10v	NO			W13 Pearl Beige	EL Elliptical Bowl (Standard) DB Deep Bowl (Optional)	OCCHFA Concealed Occupancy Sensor See Sensor Resource Sheet		
	O12C	107	14520	0-10v	NO			Optional (See Price List)		Battery Backup Options (Available with 0-10v only)		
	O20C	178	24200	0-10v	NO			M17 Brass Powder		BB10 10 Watts (1170lm) for 90-Minutes		




28435 Industry Drive., Valencia, California 91355
800-325-4448 / 661-257-0286 • fax 800-323-2346 / 661-257-0201
www.lightwayind.com • sales@lightwayind.com




MONH-E26




Shown with EL Elliptical Bowl




STEM OPTION -1S15



STEM OPTION -1SLM45



STEM OPTION -Aircraft Cable with Cord-(4AC-xSJ)



STEM OPTION -Aircraft Cable with Cord-(3AC-xSJ)

	Height EL Bowl	Height Deep Bowl	Width	Over All Height
MONH-24	7"	10"	24"	24"
MONH-36	10"	14"	36"	36"
MONH-43	11"	16"	43"	36"

MONH-24

MONH-36

MONH-43

ORDERING INFORMATION

Example: MONH-36-6E26-NL-Z1-WSA-EL-3TB-36"OAH

MONH-

Size	Sockets	Watts	Lumens	Dimming	Energy Star	Kelvin	Finish	Diffuser	Options
MONH-24	4E26			TRIAC		NL Lamps provided by others	B1 Satin Black B2 Text Black Z1 Satin Bronze Z3 Text Bronze W1 Yolk White W2 Gloss White T4 Shimmer Gray M13 Anod Silver T6 Pewter W13 Pearl Beige Optional (See Price List) M17 Brass Powder	WSA WhiteSmooth Acrylic Optional Lens Material (see Price List) AHA Amber Honey Alabaster BAA Beige Alabaster OAA Opal Alabaster Diffuser Depth EL Elliptical Bowl (Standard) DB Deep Bowl (Optional)	(Suspension Systems) Please list Over All Height 1S45 - Single Stem (Standard) 1SLM45 -Single Stem 45 degree swivel 1SAC - Single Stem with Aircraft Cable 4S - Four Stem 3TB - Three stem with single rod As shown AC-STEM - Extends over all height
				TRIAC					
MONH-36	4E26			TRIAC					
				TRIAC					
MONH-43	6E26			TRIAC					
				TRIAC					




28435 Industry Drive., Valencia, California 91355
 800-325-4448 / 661-257-0286 • fax 800-323-2346 / 661-257-0201
 www.lightwayind.com • sales@lightwayind.com




Revision: 04/03/2026


Standard Finishes



W1 Yolk



W2 Gloss White



W3 Textured White



W13 Pearl Beige




B1 Satin Black



B2 Textured Black



Z3 Textured Bronze




Z1 Satin Bronze



M13 Anodized Silver



T4 Shimmer Gray




T6 Pewter



T1 Silver Gray



T5 Textured Silver



M17 Brass Powder

Premium Finishes - Contact Factory For Pricing



U12 Parkers Blue



U13 Cornflower Blue



A15 Medium Gray



G13 Sage Green



W18 Sand Fossil



R4 Deep Red



M20 Tuscan Sun



D12 Butterscotch

DISCLAIMER:

Colors displayed on your screen may vary slightly from the actual product color due to differences in monitor calibration and lighting conditions. Sample chips are available upon request. **Not all finishes are available with all fixtures. Please consult factory for premium finishes.**

