LCLC-PATTERNS



Parkwest Plastic Surgery & Spa / Diffuser P131

Patterns, colors, and imagery are powerful tools for shaping ambiance and conveying identity. When thoughtfully integrated into lighting, they do more than illuminate—they enrich the environment with warmth, character, and purpose.

Lightway offers a versatile collection of pendant and flush-mounted ceiling fixtures, customizable with virtually unlimited design options. Whether it's patterns, branded imagery, or messaging, if you can envision it, Lightway can bring it to life—seamlessly blending your aesthetic vision into the lighting design.

Fixtures are available with **semi-translucent or opaque side diffusers**, allowing for tailored visual impact and light distribution. This flexibility ensures compatibility with a wide range of architectural styles and functional needs.

Proudly made in America, Lightway fixtures meet **Build America, Buy America (BABA)** standards—delivering exceptional craftsmanship, reliable performance, and full customization to suit your project requirements.





LCLC-PATTERNS

Construction:

- Choose a UV-stabilized, laminated side diffuser in a wide array of standard patterns or design your own pattern, message or company logo. Available with non-translucent or semi-translucent side lens options, this diffuser is expertly crafted to complement a range of aesthetic and functional design goals.
- The fixture delivers a balanced light distribution, with 60% directed upward and 40% downward, ensuring controlled illumination. Side light transmission is minimal to none, based on the chosen diffuser. For tailored distribution options, please contact the factory.
- The bottom diffuser features a white textured acrylic, providing a refined balance of soft diffusion and visual depth while maintaining an elegant, functional aesthetic. Let me know if you'd like alternative material options or adjustments to the description.
- The canopy and housing are expertly crafted from durable steel, enhanced with a sleek powder-coated finish for superior protection and modern appeal.
 The design is complemented by a high-quality acrylic lens, ensuring both functionality and refined aesthetics.

Light Source:

- LED
- Incandescent socket base

Notes:

- Mounting Kit Included for standard J-box
- Build America, Buy America Act Compliant
- UL and CUL listed **DAMP** location
- LED Array
 - Replaceable Module
 - CRI > 90
 - Dimming (10% or 1%)
 - Universal 120/277 volt standard
 - 5-Year Warranty on LED Components





Shown with side diffuser P104
















Available in Pendent version, please see LCLH-Patterns







LCLC-LED





LCLC-12 LCLC-15 LCLC-19 LCLC-24 LCLC-30 LCLC-36

DIM 'A'	DIM'B'	OAH
12.25"	4.5"	12"
15"	4.5"	12"
19"	5.25"	12"
24"	8"	15"
30"	8"	24"
36"	8"	24"









LED BASED ORDERING INFORMATION

Example: LCLC-15-LED-F1K-4-W2-CV-P104-DIM


LCLC

Size	LED					Kelvin	Finish	Side Diffusers	Options
		Watts	Source Lumens	Dimming	Energy Star	1 2700K 2 3000K	See Finish Options Page 5	Diffuser Options on Page 6	DIM LED dimming driver (0 - 10v) DIMLD Line Voltage /TRIAC/ELV/120v
12-LED	F1H	9	1400	0-10v	YES	3 3500K		(CV##) Opaque/Solid	See Resource Page
	F10	10	863	TRIAC/ELV	YES	4 4000K 5 5000K		(Part numnber example: CV-P1004) CV = Opaque/Solid side diffuser	ES Energy Star listed components
	F1P	15	1361	TRIAC/ELV	YES				T24 Title 24/JA8 Compliant
15-LED	F1K	13	2115	0-10v	YES				(F10, F1P & F1Q configuration only)
	F1P	15	1361	TRIAC/ELV	YES			(CT)## Semi-Translucent	CF - Center Finial
	F1Q	23	2057	TRIAC/ELV	YES			(Part numnber example: CT-P1004)	
19-LED	L1A	36	4000	0-10v	NO			CT = Semi-Tranlucent side diffuser	OCCHFA Concealed Occupancy Sensor
	F1Q	23	2057	TRIAC/ELV	YES				See Sensor Resource Sheet
24-LED	L1A	36	4000	0-10v	NO				
30-LED	O4C	36	4840	0-10v	NO				Battery Backup Options
36-LED	O8C	72	9680	0-10v	NO				(Requires 1 ¾" extension ring) Note available in LCLC-12
	O12C	107	14520	0-10v	NO				BB10 10 Watts (1170lm) for 90-Minutes
	O12C	107	14520	0-10v	NO				






LCLC-E26





LCLC-12 LCLC-15 LCLC-19 LCLC-24 LCLC-30


LCLC-36

DIM'A'	DIM'B'	ОАН
12.25"	4.5"	12"
15"	4.5"	12"
19"	5.25"	12"
24"	8"	15"
30"	8"	24"
36"	8"	24"









INCANDESCENT BASED ORDERING INFORMATION

Example: LCLC-36-8E26-NL-W2-CV-P1004

LCLC NL

Size	Socket				
		Watts	Source Lumens	Dimming	Energy Star
12	2E26			TRIAC/ELV	
15	2E26			TRIAC/ELV	
19	3E26			TRIAC/ELV	
24	4E26			TRIAC/ELV	
30	8E26			TRIAC/ELV	
36					

	Kelvin	Finish	Side Diffusers	Options
у	NL	See Finish	Diffuser Options on Page 6	CF - Center Finial
_	Lamps	Options Page 5		
	provided		(CV##) Opaque/Solid	
	by others		(Part numnber example: CV-P1004) $CV = Opaque/Solid side diffuser$	
_			(CT)## Semi-Translucent	
_			(Part numnber example: CT-P1004) CT = Semi-Tranlucent side diffuser	
_			CI — Semi Tramacene side dinasei	
_				
_				





FINISHES

Standard Finishes



Premium Finishes - Contact Factory For Pricing




DISCLAIMER:

Colors displayed on your screen may vary slightly from the actual product color due to differences in monitor calibration and lighting conditions. Sample chips are available upon request. **Not all finishes are available with all fixtures. Please consult factory for premium finishes.**





DIFFUSER PATTERNS



DISCLAIMER:

COLORS DISPLAYED ON YOUR SCREEN MAY VARY SLIGHTLY FROM THE ACTUAL PRODUCT COLOR DUE TO DIFFERENCES IN MONITOR CALIBRATION AND LIGHTING CONDITIONS.

SAMPLE CHIPS ARE AVAILABLE UPON REQUEST. NOT ALL FINISHES ARE AVAILABLE WITH ALL FIXTURES. PLEASE CONSULT FACTORY FOR PREMIUM FINISHES.





DIFFUSER PATTERNS



DISCLAIMER:


COLORS DISPLAYED ON YOUR SCREEN MAY VARY SLIGHTLY FROM THE ACTUAL PRODUCT COLOR DUE TO DIFFERENCES IN MONITOR CALIBRATION AND LIGHTING CONDITIONS.

SAMPLE CHIPS ARE AVAILABLE UPON REQUEST. NOT ALL FINISHES ARE AVAILABLE WITH ALL FIXTURES. PLEASE CONSULT FACTORY FOR PREMIUM FINISHES.





DIFFUSER PATTERNS



DISCLAIMER:

COLORS DISPLAYED ON YOUR SCREEN MAY VARY SLIGHTLY FROM THE ACTUAL PRODUCT COLOR DUE TO DIFFERENCES IN MONITOR CALIBRATION AND LIGHTING CONDITIONS.

SAMPLE CHIPS ARE AVAILABLE UPON REQUEST. NOT ALL FINISHES ARE AVAILABLE WITH ALL FIXTURES. PLEASE CONSULT FACTORY FOR PREMIUM FINISHES.



