Where timeless craftsmanship meets modern design.

The traditional pendant is reimagined with a sophisticated wood trim band, blending natural warmth with contemporary elegance. By incorporating wood into interior applications, this fixture does more than illuminate—it transforms the atmosphere. Wood introduces durability, texture, and a timeless aesthetic, while also enhancing comfort, well-being, and productivity. It's not merely decorative; it's a design element that connects people to nature, enriches mood, and adds character to any space.

Choose from a curated selection of faux wood finishes—Bamboo, Maple, Teak, or Walnut—each offering its own unique grain and tone to complement a wide range of interiors.

Bands available with opaque or semi-translucent bands, allowing you to tailor the glow to your desired ambiance—whether soft and diffused or crisp and defined.

Practical Benefits:


- Low Maintenance: Easily cleaned with a simple wipe of a damp cloth.

- Versatile Styling: Works seamlessly in modern, transitional, or traditional spaces.

- Sustainable Appeal: Faux wood options provide the natural look without the upkeep of real wood.

Design Impact:

Adding wood trim to lighting fixtures introduces warmth, depth, and a sense of craftsmanship. It elevates interiors by balancing functionality with artistry, making the pendant not just a source of light but a focal point of design.



28435 Industry Drive., Valencia, California 91355
800-325-4448 /661-257-0286
www.lightwayind.com • sales@lightwayind.com

Revision: 11/13/2026

LDWH

Type:	
Job Name:	

Construction:

- The LDWH features a faux-wood side diffuser, offered with either non-translucent or semi-translucent lens options, surrounding a traditional white smooth acrylic lens to accommodate a wide range of aesthetic and functional design goals.
- Standard light distribution is calibrated to deliver 60% uplight and 40% downlight. For customized distribution configurations, please contact the factory
- The bottom diffuser is crafted from white textured acrylic
- The canopy and housing are built from durable steel and finished with a sleek, powder-coated surface for enhanced protection and visual appeal.

Light Source:

- LED
- Incandescent socket base

Notes:

- Mounting Kit Included for standard J-box
- Multiple canopy and stem options available.
- Custom overall heights available
- ***Build America, Buy America Act Compliant***
- UL and CUL listed **DAMP** location
  - Replaceable Module
  - CRI > 90
  - Dimming (10% or 1%)
  - Universal 120/277 volt standard



Shown with Walnut side diffuser (DV4)






For ceiling flush mount fixture, please see the LDWC

DIFFUSER OPTIONS











28435 Industry Drive., Valencia, California 91355
800-325-4448 /661-257-0286
www.lightwayind.com • sales@lightwayind.com

Revision: 11/13/2026


LDWH




	DIM 'A'	DIM 'B'	OAH
LDWH-14	14.25″	4.5″	12″
LDWH-17	17″	4.5″	12″
LDWH-21	21″	5.25″	12″
LDWH-26	26″	8″	15″
LDWH-32	32″	8″	24″
LDWH-38	38″	8″	24″




STEM OPTION -1S15



STEM OPTION -1SLM45



STEM OPTION -Aircraft Cable with Cord-(4AC-xSJ)



STEM OPTION -Aircraft Cable with Cord-(3AC-xSJ)

LED BASED ORDERING INFORMATION

Example: LDWH-17-LED-F1K-4-W2-DV4-1SLM45-12″OAH-DIM

LDWH [ ] [ ] [ ] [ ] [ ] [ ] [ ]

Size	LED	Watts	Source Lumens	Dimming	Energy Star
14-LED	**F1H**	9	1400	0-10v	YES
	F1O	10	863	TRIAC/ELV	YES
	F1P	15	1361	TRIAC/ELV	YES
17-LED	**F1K**	13	2115	0-10v	YES
	F1P	15	1361	TRIAC/ELV	YES
	F1Q	23	2057	TRIAC/ELV	YES
21-LED	**L1A**	36	4000	0-10v	NO
	F1Q	23	2057	TRIAC/ELV	YES
26-LED	**L1A**	36	4000	0-10v	NO
32-LED	**O4C**	36	4840	0-10v	NO
38-LED	**O8C**	72	9680	0-10v	NO
	O12C	107	14520	0-10v	NO
	O12C	107	14520	0-10v	NO

Kelvin

1 2700K
2 3000K
3 3500K
4 4000K
5 5000K

Finish

See Finish Options Page 5

Side Diffusers

Maple
DV1 Opaque Maple
DT1 Semi-Translucent Maple

Bamboo
DV2 Opaque Bamboo
DT2 Semi-Translucent Bamboo

Teak
DV3 Opaque Teak
DT3 Semi-Translucent Teak

Walnut
DV4 Opaque Walnut
DT4 Semi-Translucent Walnut

Options

(Suspension Systems)
Please list **O**ver **A**ll **H**eight
1S15 -Single Stem 15 degree swivel
1SLM45 -Single Stem 45 degree swivel
4AC-(4) Aircraft Cable
3AC -(3) Aircraft Cable

DIM LED dimming driver (0 - 10v)
DIMLD Line Voltage /TRIAC/ELV/120v
ES Energy Star listed components
T24 Title 24/JA8 Compliant
(F1O, F1P & F1Q configuration only)

OCCHFA Concealed Occupancy Sensor
See Sensor Resource Sheet


Battery Backup Options
(Available with 0-10v only)
BB10 10 Watts (1170lm) for 90-Minutes


28435 Industry Drive., Valencia, California 91355
800-325-4448 /661-257-0286
www.lightwayind.com • sales@lightwayind.com

Lightway


Revision: 11/13/2026

LDWH-E26







STEM OPTION -1S15



STEM OPTION -1SLM45



STEM OPTION -Aircraft Cable with Cord-(4AC-xSJ)



STEM OPTION -Aircraft Cable with Cord-(3AC-xSJ)

	DIM 'A'	DIM 'B'	OAH
LDWH-14	14.25″	4.5″	12″
LDWH-17	17″	4.5″	12″
LDWH-21	21″	5.25″	12″
LDWH-26	26″	8″	15″
LDWH-32	32″	8″	24″
LDWH-38	38″	8″	24″

INCANDESCENT BASED ORDERING INFORMATION

Example: LDWH-38-8E26-NL-W2-DV4-1SLM45-24″OAH

LDWH [ ] [ ] NL [ ] [ ] [ ] [ ]

Size	Socket	Watts	Source Lumens	Dimming	Energy Star
14	2E26			TRIAC/ELV	
17	2E26			TRIAC/ELV	
21	3E26			TRIAC/ELV	
26	4E26			TRIAC/ELV	
32	8E26			TRIAC/ELV	
38					

Kelvin

NL
Lamps provided by others

Finish

See Finish Options Page 5

Side Diffusers

Maple
DV1 Opaque Maple
DT1 Semi-Translucent Maple

Bamboo
DV2 Opaque Bamboo
DT2 Semi-Translucent Bamboo

Teak
DV3 Opaque Teak
DT3 Semi-Translucent Teak

Walnut
DV4 Opaque Walnut
DT4 Semi-Translucent Walnut

Options

(Suspension Systems)
Please list **O**ver **A**ll **H**eight
1S15 -Single Stem 15 degree swivel
1SLM45 -Single Stem 45 degree swivel
4AC-(4) Aircraft Cable
3AC -(3) Aircraft Cable


CF - Center Finial

28435 Industry Drive., Valencia, California 91355
800-325-4448 /661-257-0286
www.lightwayind.com • sales@lightwayind.com

Revision: 11/13/2026

FINISHES

Standard Finishes


W1 Yolk


W2 Gloss White


W3 Textured White


W13 Pearl Beige


B1 Satin Black



B2 Textured Black


Z3 Textured Bronze


Z1 Satin Bronze



M13 Anodized Silver


T4 Shimmer Gray


T6 Pewter


T1 Silver Gray


T5 Textured Silver


M17 Brass Powder

Premium Finishes - Contact Factory For Pricing


U12 Parkers Blue


U13 Cornflower Blue


A15 Medium Gray


G13 Sage Green


W18 Sand Fossil


R4 Deep Red


M20 Tuscan Sun


D12 Butterscotch

DISCLAIMER:
Colors displayed on your screen may vary slightly from the actual product color due to differences in monitor calibration and lighting conditions. Sample chips are available upon request. **Not all finishes are available with all fixtures. Please consult factory for premium finishes.**

28435 Industry Drive., Valencia, California 91355
800-325-4448 /661-257-0286• fax 800-323-2346 /661-257-0201
www.lightwayind.com • sales@lightwayind.com